



Petzl

ZI de Crolles
Cidex 105 A
38920 CROLLES / France
Tel : 33 (0)4 76 92 09 00
Fax : 33 (0)4 76 08 82 04
e-mail : info@petzl.fr
site web : www.petzl.com

Crolles June 2nd 2014

To: Whom it may concern

Object: Statement regarding the placement of a cord on the ASAP to keep it from dropping. ref: B71 AAA (only)

If a user need a function to get his ASAP (B71 AAA) connected to his harness when not installed on the rope, Petzl recommend first to purchase the ASAP Lock (B71 ALU) that integrate such a feature.

If the user could not get the ASAP Lock, Petzl authorise exceptionally the user to drill a hole in his ASAP and install a keeper cord to create such a feature only if:

- User read, understand and respect the below drilling instructions.
- User read, understand and respect the complementary instructions for use in relation with the presence of such a keeper cord: <http://www.petzl.com/en/pro/product-experience/asap-dropping>

This exceptional authorization to drill a hole in the ASAP (B71 AAA) will not be valid after the 31st of December 2014.

Sincerely

A handwritten signature in black ink, appearing to be "Bernard Bressoux". The signature is written in a cursive style with a long horizontal stroke extending to the right.

Bernard Bressoux
Research and development department / Service bureau d'étude
Quality & Technical director / Directeur Technique et Qualité
33 (0)4 76 92 09 44 / bbressoux@petzl.fr Site Crolles - Cidex 105 A - 38920 CROLLES / France -
Tel : 33 (0)4 76 92 09 00 - Fax : 33 (0)4 76 92 09 49 - www.petzl.com


Drilling instructions

ASAP Year 2014 ref =B71 AAA



Operating Instructions

1/ With a ruler, measure the distances of 4mm and 5mm and place a mark.




2/ Using the tools below..



3/ ..Punch the mark to drill precisely. Drill a 4mm hole.



4/ Countersink both sides of the hole.



Drilling instructions

ASAP Year 2014 versions ref= B71 AAA



End of operation

6/ Install a 3mm diameter cord with 2 barrel knots.

The overall length of the cord must be less than 11cm.



Recommendation

The instructions for use with this cord remain the same as for the previous ASAP.

<http://www.petzl.com/en/pro/product-experience/asap-dropping>